I Niverber	1 114.	L Connels Tour	I DD	[** :
L Number	Hits 54	Search Text (chiect adjustments) same (class ID or (class adj. (ID or	DB	Time stamp
'	54	(object adj oriented) same (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB;	2004/02/13 06:36
		identifier of identification)))		
			EPO; JPO; DERWENT;	
			IBM_TDB	
2	279	(object adj oriented) same (config\$8 adj (information or data or	USPAT;	2004/02/13 06:39
-		manag\$6))	US-PGPUB;	2004/02/10 00:55
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
3	0	((object adj oriented) same (classID or (class adj (ID or	USPAT;	2004/02/13 06:36
·		identifier or identification)))) and ((object adj oriented) same	US-PGPUB;	
ŧ l		(config\$8 adj (information or data or manag\$6)))	EPO; JPO;	
			DERWENT;	
	35	(/object odi oriented) come (confict) odi (information and the	IBM_TDB	0004/00/40 00 00
4	35	((object adj oriented) same (config\$8 adj (information or data or manag\$6))) and (classID or (class adj (ID or identifier or	USPAT;	2004/02/13 06:39
		identification)))	US-PGPUB; EPO; JPO;	
			DERWENT:	
			IBM_TDB	
5	2963	(object adj oriented) and (config\$8 adj (information or data or	USPAT:	2004/02/13 06:53
ļ		manag\$6))	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
	450		IBM_TDB	
6	159	((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:54
		manag\$6))) and (classID or (class adj (ID or identifier or identification)))	US-PGPUB;	
		i dentinication)))	EPO; JPO;	
			DERWENT; IBM_TDB	
7	. 8	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:48
	_	manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	2004/02/10 00.40
		identification)))) and 707/103\$.ccls.	EPO; JPO;	
			DERWENT;	
	_ :		IBM_TDB	
8	7	((((object adj oriented) and (config\$8 adj (information or data	USPAT;	2004/02/13 06:44
		or manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
		identification)))) and 707/103\$.ccls.) and key	EPO; JPO;	
l			DERWENT; IBM_TDB	
9	130	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 07:01
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	2004/02/13 07:01
		identification)))) and (key or (key adj value) or (key\$8 adj2	EPO; JPO;	
		pair))	DERWENT;	
			IBM_TDB	
10	76	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:54
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
		identification)))) and ((key adj value) or (key\$8 adj2 pair))	EPO; JPO;	
	:		DERWENT; IBM TDB	
11	15	((((object adj oriented) and (config\$8 adj (information or data	USPAT:	2004/02/42 06:52
'		or manag\$6))) and (classID or (class adj (III or identifier or	US-PGPUB;	2004/02/13 06:53
		identification)))) and ((key adj value) or (key\$8 adj2 pair))) and	EPO; JPO;	
		(707/103\$.ccls. or 717/\$.ccls.)	DERWENT;	
		·	IBM_TDB	
12	1	(((object adj oriented) and (config\$8 adj (information or data or	USPAT;	2004/02/13 06:51
		manag\$6))) and (classID or (class adj (ID or identifier or	US-PGPUB;	
		identification)))) and ((key adj value) or (key\$8 adj2 pair))	EPO; JPO;	
ŀ		same (classID or (class adj (ID or identifier or identification)))	DERWENT;	
13	24	(((Object adj oriented) and (confige) adj (information as data	IBM_TDB	0004/00/40 00 =:
'`	44	(((object adj oriented) and (config\$8 adj (information or data or manag\$6))) and (classID or (class adj (ID or identifier or	USPAT;	2004/02/13 06:51
		identification)))) and (key or (key adj value) or (key\$8 adj2	US-PGPUB; EPO; JPO;	
		pair)) same (classID or (class adj (ID or identifier or	DERWENT;	
		identification)))	IBM TDB	
			.5	

14	5	((((object adj oriented) and (config\$8 adj (information or data or manag\$6))) and (classID or (class adj (ID or identifier or identification)))) and (key or (key adj value) or (key\$8 adj2 pair)) same (classID or (class adj (ID or identifier or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/13 06:54
15	2146	identification)))) and (707/103\$.ccls. or 717/\$.ccls.) (object adj oriented) and (config\$8 adj (data or manag\$6))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/13 06:57
16	230	((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/13 07:00
17	27	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (707/103\$.ccls. or 717/\$.ccls.)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
18	11	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:55
19	230	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (key or (key adj value) or (key\$8 adj2 pair))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:55
20	69	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (key or (key adj value) or (key\$8 adj2 pair))) and (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
21	. 11	(((((object adj oriented) and (config\$8 adj (data or manag\$6))) and ((key adj value) or (key\$8 adj2 pair))) and (key or (key adj value) or (key\$8 adj2 pair))) and (classID or (class adj (ID or identifier or identification)))) and (707/103\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:55
22	246	((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/13 06:56
23	29	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and class same replac\$6	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:56
24	24	(((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 06:57
25	7	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))) and replac\$8 same config\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 07:00
26	1	((((object adj oriented) and (config\$8 adj (data or manag\$6))) and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj (ID or identifier or identification)))) and replac\$8 with config\$8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/13 07:00

27	11	((((object adj oriented) and (config\$8 adj (data or manag\$6)))	USPAT;	2004/02/13 07:01
		and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj	US-PGPUB;	
		(ID or identifier or identification)))) and ((key adj value) or	EPO; JPO;	
		(key\$8 adj2 pair))	DERWENT:	
			IBM TDB	
28	15	((((object adj oriented) and (config\$8 adj (data or manag\$6)))	USPAT:	2004/02/13 07:01
		and (707/103\$.ccls. or 717/\$.ccls.)) and (classID or (class adj	US-PGPUB:	
		(ID or identifier or identification)))) and (key or (key adj value)	EPO: JPO:	
		or (key\$8 adi2 pair))	DERWENT:	
			IBM TDB	